


Casement Windows (7205)


Jamb Dimension	1'-5 1/2"	1'-7 1/2"	1'-11 1/2"	2'-3 1/2"	2'-5 1/2"	2'-7 1/2"	2'-11 1/2"
Rough Opening	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	3'-0"
Metric R.O. (mm)	457	508	610	711	762	813	914
Glass Size	13 3/8"	15 3/8"	19 3/8"	23 3/8"	25 3/8"	27 3/8"	31 3/8"
1'-11 1/2"							
2'-5 1/2"							
2'-11 1/2"							
3'-5 1/2"							
3'-11 1/2"							
4'-5 1/2"							
4'-11 1/2"							
5'-5 1/2"							
5'-11 1/2"							
6'-5 1/2"							
6'-11 1/2"							
7'-0"							
7'-3/8"							
1620	1820	2020	2420	2620	2820	3020	
1626	1826	2026	2426	2626	2826	3026	
1630	1830	2030	2430	2630	2830	3030	
1636	1836	2036	2436	2636	2836	3036	
1640	1840	2040	2440	2640	2840	3040	
1646	1846	2046	2446	2646	2846	3046	
1650	1850	2050	2450	2650	2850	3050	
1656	1856	2056	2456	2656	2856	3056	
1660	1660	2060	2460	2660	2860	3060	
1666	1666	2066	2466	2666	2866	3066	
1670	1670	2070	2470	2670	2870	3070	



2 - Wide Units

Width Dimensions


Base Code	Jamb Dimension (Frame Size)	Rough Opening	Metric R.O. (mm)
CS2-16	2'-11 1/16"	2'-11 9/16"	903
CS2-18	3'-3 1/16"	3'-3 9/16"	1005
CS2-20	3'-11 1/16"	3'-11 9/16"	1208
CS2-24	4'-7 1/16"	4'-7 9/16"	1411
CS2-26	4'-11 1/16"	4'-11 9/16"	1513
CS2-28	5'-3 1/16"	5'-3 9/16"	1614
CS2-30	5'-11 1/16"	5'-11 9/16"	1818



3 - Wide Units

Width Dimensions


Base Code	Jamb Dimension (Frame Size)	Rough Opening	Metric R.O. (mm)
CS3-16	4'-4 5/8"	4'-5 1/8"	1349
CS3-18	4'-10 5/8"	4'-11 1/8"	1502
CS3-20	5'-10 5/8"	5'-11 1/8"	1807
CS3-24	6'-10 5/8"	6'-11 1/8"	2111
CS3-26	7'-4 5/8"	7'-5 1/8"	2264
CS3-28	7'-10 5/8"	7'-11 1/8"	2416
CS3-30	8'-10 5/8"	8'-11 1/8"	2721



4 - Wide Units

Width Dimensions

Base Code	Jamb Dimension (Frame Size)	Rough Opening	Metric R.O. (mm)
CS4-16	5'-10 3/16"	5'-10 11/16"	1795
CS4-18	6'-6 3/16"	6'-6 11/16"	1999
CS4-20	7'-10 3/16"	7'-10 11/16"	2405
CS4-24	9'-2 3/16"	9'-2 11/16"	2811
CS4-26	9'-10 3/16"	9'-10 11/16"	3015



5 - Wide Units

Width Dimensions

Base Code	Jamb Dimension (Frame Size)	Rough Opening	Metric R.O. (mm)
CS4-16	7'-3 3/4"	7'-4 1/4"	2242
CS4-18	8'-1 3/4"	8'-2 1/4"	2496
CS4-20	9'-9 3/4"	9'-10 1/4"	3004

■ Shaded units meet or exceed egress opening requirements per 2015 IBC (International Building Code) minimum dimensions of 20" [508mm] clear opening width, 24" [610mm] clear opening height, 5.7 sq. ft. [5295cm²] clear opening and floor to bottom of clear opening not to exceed 44" [1118mm] in height.

Verify local or state egress opening sizes with your local building inspector.

Floor to bottom of clear opening dimensions are based on 82" [2083mm] jamb height of Weather Shield French doors and center hinged French doors.

See Opening Specification chart for reference.