

**Premium Coastal SG Awning- Structural Performance Data**

Product Style	Product ID	OP/ST	Configurations	Mull Type	DP Rating		WDMA	Max Tributary Width	Max Operating Frame Size	Max Pic/Tran Frame Size	Installation Type	Glass	Performance			Report #	FL # Dade NOA
					+	-							WZ3	WZ4	HVHZ		
<b>Single Units</b>																	
Awning	1209	OP/ST	1 wide	-	55	70	LC-PG55	-	59 1/2"x41 1/2"	-	Nailfin Clips Screws	11.7mm PVB	Y	Y	Y	ESP018434P-1647	FL17697.4
Awning	1209	OP/ST	1 wide	-	65	85	LC-PG65	-	41-1/2"x35-1/2"	-	Nailfin Clips Screws	11.7mm PVB	Y	Y	Y	ESP019135P-1687	FL17697.1
<b>Mulled Awnings</b>																	
Awning	1209	OP/OP ST/ST	2-5 wide	Tight mull	55	70	LC-PG55	41 1/2"	59 1/2"x41 1/2"	-	Nailfin Clips Screws	11.7mm PVB	Y	Y	Y	ESP018434P-1647	FL17697.4
Awning	1209	OP/OP ST/ST	2-5 wide	1/2" spread mull with aluminum stiffener	55	70	LC-PG55	59 1/2"	59 1/2"x41 1/2"	-	Nailfin Clips Screws	11.7mm PVB	Y	Y	Y	ESP018434P-1647	FL17697.6
<b>Transom and Awning Mull combinations</b>																	
Twin transom over twin awning	1209	-	2 wide over 2 wide	Vertical: 1/2" spread mull with aluminum stiffener Horizontal: tight mull	55	70	LC-PG55	*Vert Mull 59 1/2" Horiz Mull 41 1/2"	59 1/2"x41 1/2"	59 1/2"x41 1/2"	Nailfin -----	See individual windows	Y	Y	Y	ESP018434P-1647	FL17697.3
Single transom over single awning	1209	-	1 wide/3 high	Tight mull	65	85	LC-PG65	56 1/2"	41 1/2"x35 1/2"	41 1/2"x77 1/2"	Nailfin Clips Screws	See individual windows	Y	Y	Y	Transom - ESP019600P-1705 Awning - ESP019135P-1687 Mullion - ESP019139P-1688	FL17697.1 FL17697.9