

### Single Doors (8517) - 3-1/4" Bottom Rail

Jamb Dimension	2'-0"	2'-6"	2'-8"	3'-0"	3'-1 7/32"	3'-6"
Rough Opening	2'-0 3/4"	2'-6 3/4"	2'-8 3/4"	3'-0 3/4"	3'-2"	3'-6 3/4"
Soft Metric R.O. (mm)	629	781	832	933	964	1086
Glass Size	16 15/16"	22 15/16"	24 15/16"	28 15/16"	30 5/32"	34 15/16"
6'-7 17/32"						
6'-8 1/32"						
6'-10 1/32"						
6'-10 17/32"						
7'-2 1/32"						
7'-2 17/32"						
8'-0 1/32"						
8'-0 17/32"						
8'-2 1/32"						
8'-2 17/32"						
9'-0 1/32"						
9'-0 17/32"						
9'-11 17/32"						

### Single Doors (8517) - 5-1/8" Bottom Rail

Jamb Dimension	2'-0"	2'-6"	2'-8"	3'-0"	3'-1 7/32"	3'-6"
Rough Opening	2'-0 3/4"	2'-6 3/4"	2'-8 3/4"	3'-0 3/4"	3'-2"	3'-6 3/4"
Soft Metric R.O. (mm)	629	781	832	933	964	1086
Glass Size	16 15/16"	22 15/16"	24 15/16"	28 15/16"	30 5/32"	34 15/16"
6'-7 17/32"						
6'-8 1/32"						
2033						
69 1/2"						
6'-10 1/32"						
6'-10 17/32"						
2096						
72"						
7'-2 1/32"						
7'-2 17/32"						
2198						
76"						
8'-0 1/32"						
8'-0 17/32"						
2452						
86"						
8'-2 1/32"						
8'-2 17/32"						
2503						
88"						
9'-0 1/32"						
9'-0 17/32"						
2757						
98"						
9'-11 1/32"						
9'-11 17/32"						
3036						
109"						

### Double Doors (8517) - 3-1/4" Bottom Rail

Jamb Dimension	3'-11 1/4"	4'-11 1/4"	5'-3 1/4"	5'-11 1/4"	6'-1 11/16"	6'-11 1/4"
Rough Opening	4'-0"	5'-0"	5'-4"	6'-0"	6'-2 7/16"	7'-0"
Soft Metric R.O. (mm)	1219	1524	1626	1829	1891	2134
Glass Size	16 15/16"	22 15/16"	24 15/16"	28 15/16"	30 5/32"	34 15/16"

6'-7 17/32"						
6'-8 1/32"	2-4068	2-5068	2-5468	2-6068	2-6268	2-7068
6'-10 1/32"						
6'-10 17/32"	2-40610	2-50610	2-54610	2-60610	2-62610	2-70610
7'-2 1/32"						
7'-2 17/32"	2-4072	2-5072	2-5472	2-6072	2-6272	2-7072
8'-0 1/32"						
8'-0 17/32"	2-4080	2-5080	2-5480	2-6080	2-6280	2-7080
8'-2 1/32"						
8'-2 17/32"	2-4082	2-5082	2-5482	2-6082	2-6282	2-7082
9'-0 1/32"						
9'-0 17/32"	2-4090	2-5090	2-5490	2-6090	2-6290	2-7090
9'-11 17/32"						
3036	2-40911	2-50911	2-54911	2-60911	2-62911	2-70911
110 7/8"						

### Double Doors (8517) - 5-1/8" Bottom Rail

Jamb Dimension	3'-11 1/4"	4'-11 1/4"	5'-3 1/4"	5'-11 1/4"	6'-1 11/16"	6'-11 1/4"
Rough Opening	4'-0"	5'-0"	5'-4"	6'-0"	6'-2 7/16"	7'-0"
Soft Metric R.O. (mm)	1219	1524	1626	1829	1891	2134
Glass Size	16 15/16"	22 15/16"	24 15/16"	28 15/16"	30 5/32"	34 15/16"

6'-7 17/32"						
6'-8 1/32"	2-4068	2-5068	2-5468	2-6068	2-6268	2-7068
2033						
69 1/2"						
6'-10 1/32"						
6'-10 17/32"	2-40610	2-50610	2-54610	2-60610	2-62610	2-70610
2096						
72"						
7'-2 1/32"						
7'-2 17/32"	2-4072	2-5072	2-5472	2-6072	2-6272	2-7072
2198						
76"						
8'-0 1/32"						
8'-0 17/32"	2-4080	2-5080	2-5480	2-6080	2-6280	2-7080
2452						
88"						
8'-2 1/32"						
8'-2 17/32"	2-4082	2-5082	2-5482	2-6082	2-6282	2-7082
2503						
88"						
9'-0 1/32"						
9'-0 17/32"	2-4090	2-5090	2-5490	2-6090	2-6290	2-7090
2757						
98"						
9'-11 1/32"						
9'-11 17/32"	2-40911	2-50911	2-54911	2-60911	2-62911	2-70911
3036						
109"						