

Casement Picture Windows (4201)

Jamb Dimension	3'-11 1/4"	4'-5 1/4"	4'-11 1/4"	5'-5 1/4"	5'-11 1/4"	6'-5 1/4"	6'-11 1/4"	7'-5 1/4"
Rough Opening	4'-0"	4'-6"	5'-0"	5'-6"	6'-0"	6'-6"	7'-0"	7'-6"
Soft Metric R.O.(mm)	1219	1372	1524	1676	1829	1981	2134	2286
Glass Size	42 7/8"	48 7/8"	54 7/8"	60 7/8"	66 7/8"	72 7/8"	78 7/8"	84 7/8"
1'-11 1/4"	4020	4620	5020	5620	6020	6620	7020	7620
2'-5 1/4"	4026	4626	5026	5626	6026	6626	7026	7626
2'-11 1/4"	4030	4630	5030	5630	6030	6630	7030	7630
3'-5 1/4"	4036	4636	5036	5636	6036	6636	7036	7636
3'-11 1/4"	4040	4640	5040	5640	6040	6640	7040	7640
4'-5 1/4"	4046	4646	5046	5646	6046	6646	7046	7646
4'-11 1/4"	4050	4650	5050	5650	6050	6650	7050	7650
5'-5 1/4"	4056	4656	5056	5656	6056	6656	7056	7656
5'-11 1/4"	4060	4660	5060	5660	6060	6660	7060	7660
6'-5 1/4"	4066	4666	5066	5666	6066	6666	7066	7666
6'-11 1/4"	4070	4670	5070	5670	6070	6670	7070	7670
7'-5 1/4"	4076	4676	5076	5676	6076	6676	7076	7676

Casement Picture Windows (4201)

Jamb Dimension	7'-11 1/4"	8'-5 1/4"	8'-11 1/4"	9'-5 1/4"	9'-11 1/4"	
Rough Opening	8'-0"	8'-6"	9'-0"	9'-6"	10'-0"	
Soft Metric R.O. (mm)	2438	2591	2743	2896	3048	
Glass Size	90 7/8"	96 7/8"	102 7/8"	108 7/8"	114 7/8"	
7'-5 1/4" 7'-6" 2286 84 7/8"	1'-11 1/4" 2'-0" 610 18 7/8"	8020	8620	9020	9620	10020
3'-5 1/4" 3'-6" 1067	2'-5 1/4" 2'-6" 762 24 7/8"	8026	8626	9026	9626	10026
3'-11 1/4" 4'-0" 1219	2'-11 1/4" 3'-0" 914 30 7/8"	8030	8630	9030	9630	10030
4'-5 1/4" 4'-6" 1372	3'-5 1/4" 3'-6" 1067 36 7/8"	8036	8636	9036	9636	10036
4'-11 1/4" 5'-0" 1524	3'-11 1/4" 4'-0" 1219 42 7/8"	8040	8640	9040	9640	10040
5'-5 1/4" 5'-6" 1676	4'-5 1/4" 4'-6" 1372 48 7/8"	8046	8646	9046	9646	10046
5'-11 1/4" 6'-0" 1829	4'-11 1/4" 5'-0" 1524 54 7/8"	8050	8650	9050	9650	10050
6'-5 1/4" 6'-6" 1981	5'-5 1/4" 5'-6" 1676 60 7/8"	8056	8656	9056	9656	10056
6'-11 1/4" 7'-0" 2134	5'-11 1/4" 6'-0" 1829 66 7/8"	8060	8660	9060	9660	10060
7'-5 1/4" 7'-6" 2286	6'-5 1/4" 6'-6" 1981 72 7/8"	8066	8666	9066		
84 7/8"	7'-0" 2134 76 7/8"	8070	8670			

Casement Picture Windows (4201)

Jamb Dimension	3'-11 1/4"	4'-5 1/4"	4'-11 1/4"	5'-5 1/4"	5'-11 1/4"	6'-5 1/4"	6'-11 1/4"
Rough Opening	4'-0"	4'-6"	5'-0"	5'-6"	6'-0"	6'-6"	7'-0"
Soft Metric R.O.(mm)	1219	1372	1524	1676	1829	1981	2134
Glass Size	42 7/8"	48 7/8"	54 7/8"	60 7/8"	66 7/8"	72 7/8"	78 7/8"
7'-11 1/4"							
8'-5 1/4"							
8'-11 1/4"							
9'-5 1/4"							
9'-11 1/4"							

 2 - Wide Units Width Dimensions				 3 - Wide Units Width Dimensions				 4 - Wide Units Width Dimensions			
Base Code	Jamb Dimension (Frame Size)	Rough Opening	Soft Metric R.O. (mm)	Base Code	Jamb Dimension (Frame Size)	Rough Opening	Soft Metric R.O. (mm)	Base Code	Jamb Dimension (Frame Size)	Rough Opening	Soft Metric R.O. (mm)
CS2-16	2'-10 1/2"	2'-11 1/4"	895	CS3-16	4'-3 3/4"	4'-4 1/2"	1334	CS4-16	5'-9"	5'-9 3/4"	1772
CS2-18	3'-2 1/2"	3'-3 1/4"	997	CS3-18	4'-9 3/4"	4'-10 1/2"	1486	CS4-18	6'-5"	6'-5 3/4"	1975
CS2-20	3'-10 1/2"	3'-11 1/4"	1200	CS3-20	5'-9 3/4"	5'-10 1/2"	1791	CS4-20	7'-9"	7'-9 3/4"	2381
CS2-24	4'-6 1/2"	4'-7 1/4"	1403	CS3-24	6'-9 3/4"	6'-10 1/2"	2096	CS4-24	9'-1"	9'-1 3/4"	2788
CS2-26	4'-10 1/2"	4'-11 1/4"	1505	CS3-26	7'-3 3/4"	7'-4 1/2"	2248	CS4-26	9'-9"	9'-9 3/4"	2991
CS2-28	5'-2 1/2"	5'-3 1/4"	1607	CS3-28	7'-9 3/4"	7'-10 1/2"	2400				
CS2-30	5'-10 1/2"	5'-11 1/4"	1810	CS3-30	8'-9 3/4"	8'-10 1/2"	2705				
CS2-36	6'-10 1/2"	6'-11 1/4"	2115								
CS2-38	7'-2 1/2"	7'-3 1/4"	2216								